

**Liebherr refrigeration is available at specialist retailers who provide good service and advice!**



Your dealer will be pleased to provide you with good advice to help you select the right Liebherr appliance.

Everything you need to know about built-in refrigeration from Liebherr as well as refrigeration for food and drinks can be found in the relevant main catalogues.

The special brochures contain extensive information and images on the Wine Cabinets as well as the BioFresh, Design and Side-by-Side appliances.



Subject to modification. Printed in Germany by Bechtle. 5756/3711.05

# Freestanding Refrigeration 2005



**Design, Quality & Innovation**

**COOLELECTRIC LTD-Liebherr, Express Way, Whitwood, West Yorkshire, WF10 5QJ, Sales  
Tel: 01977 665665, E.Mail: sales@cooelectric.co.uk Accounts Tel: 01977 665656/552,  
E.Mail: accounts@cooelectric.co.uk Service & Spares Tel: 01977 665559, Fax: 01977 665635  
E.Mail: spares@cooelectric.co.uk Main Fax: 01977 665669, Website: www.liebherrinfo.co.uk**



# Your refrigeration specialist



## Built-in Refrigeration 2005: Made-to-measure quality

Design and functionality are key in a fitted kitchen. So your refrigerator and freezer should also be tailored to meet your own particular needs. As specialists in refrigeration, Liebherr always has the right solution: you are sure to find the perfect appliance for every kind of unit and every recess size in our uniquely extensive range.

## Design Edition: Highlights for your kitchen

These days, a kitchen is not only a place for preparing fine foods; it is also a place where we love to realise our lifestyle dreams. Our Design Edition refrigeration is a highlight in any individual kitchen design. Whether in stainless steel or aluminium, whether as a feature in its own right or a harmonious part of the design: Liebherr offers just the right appliance to suit every kitchen concept. The complete Design Edition range is presented in the Liebherr Design Special brochure.



## Side-by-Side: Spacious style and choice

Fresh food bought with care, prepared with imagination and served with pleasure – healthy eating is a top priority in contemporary cuisine. Side-by-Side combined fridge-freezers are perfect for storing large quantities of vitamin rich food. They are extremely spacious, uniquely convenient and particularly economical. All Side-by-Side combination fridge-freezers are illustrated in Liebherr's Side-by-Side Special.

## BioFresh: For a better quality of life

Cook when it suits you – not when the sell-by dates dictate. With BioFresh from Liebherr, your food will stay as fresh as the day you bought it, and your fruit, vegetables, meat and fish will retain their vitamins for three times longer than in a normal refrigerator. And that means a healthier, better, more varied diet. Three excellent reasons to get to know Liebherr's BioFresh models and to enjoy eating yourself fit.



## Enjoying wine to perfection

The culture of enjoying wine has never been more popular, and yet it is a timeless trend. Because a connoisseur will often keep their good wines for many years. They will only develop to perfection if they are allowed to mature in the correct environment. A Liebherr wine storage cabinet is the perfect place for storing fine wines for long periods of time, and our multi-temperature wine cabinets are ideal for bringing wines to exactly the right temperature for serving. The Liebherr Wine Special contains valuable information on wine and how to store and serve it.




## Your Online Adviser for Liebherr Domestic Appliances

At [www.liebherrinfo.co.uk](http://www.liebherrinfo.co.uk) it is simple to quickly find your Liebherr online adviser. The adviser will guide you in 5 steps to the appliance tailored to your personal needs. Ideas, modern design and well thought out solutions for optimal convenience in use are the hallmarks of the comprehensive range of Liebherr domestic appliances. Including table-height and upright refrigerators, combined refrigerator-freezers, table-height and upright freezers, chest freezers, refrigerators for storage and for drinks, wine storage and multi-temperature wine cabinets, as well as refrigerators and freezers for commercial use. Liebherr domestic appliances are the symbol of quality in Europe and beyond.

## Ultra-economical state-of-the-art technology

Liebherr is redefining energy saving with its comprehensive range of appliances in the best A+ and A++ energy efficiency classes! Although the energy consumption of our previous models was already incredibly low, we have succeeded in reducing it even further in these new appliances by integrating the latest, state-of-the-art electronics together with optimised cooling technologies.



## Model classes

**Premium** State-of-the-art technology, innovative ideas and extremely user-friendly equipment for refrigerating and freezing.

**Comfort** Refrigerators and freezers designed for convenience with a multitude of practical details.

## Extremely quiet

Silent compressors and a low-noise cooling circuit are two outstanding features of all Liebherr appliances.

## Climate Ratings

**Climate rating SN:** ambient temp. +10°C to +32°C  
**Climate rating N:** ambient temp. +16°C to +32°C  
**Climate rating ST:** ambient temp. +18°C to +38°C  
**Climate rating T:** ambient temp. +18°C to +43°C

## Contents

## Page

### BioFresh appliances

Combined refrigerator-freezers and upright refrigerators with BioFresh

4 – 11



### Combined refrigerator-freezers

Combined NoFrost fridge-freezers

12 – 17

Combined fridge-freezers

18 – 19

Fridge-freezers

20 – 23



Top mount fridge-freezers

24 – 29

### Upright refrigerators

30 – 35



### Table-height refrigerators

36 – 39



### Side-by-Side Combinations

40 – 45



### Upright freezers

NoFrost freezers

46 – 53

Upright freezers

54 – 55

Table-height freezers

56 – 57



### Chest freezers

Energy saving chest freezers

58 – 61



### Wine storage cabinet

62 – 63





# Combined refrigerators and fridges-freezers with BioFresh



Illustration:  
CBNes 5067



The **automatic SuperCool function** reduces the temperature of the refrigerator to +2°C for 6 hours. This is ideal if you want to chill fresh food quickly. It switches back to the normal mode automatically.

The **automatic SuperFrost function** makes freezing fresh food comfortable. It quickly reduces the temperature to freeze your food while preserving the vitamins. The automatic SuperFrost function switches back to normal mode when the food is completely frozen and so saves electricity.

**Top design and super convenience: the new electronic display**  
The new electronic display (with CBNes 5067 and 3857) from Liebherr with its innovative design, user-friendliness and clear menu assistance provides even more information and enhanced convenience.

**Temperature on view:** A glance at the LCD display tells you the exact temperature in the refrigerator and freezer. Press the menu button to access all the controllable appliance functions and the information areas of the appliance.

**Information at the press of a button:** In the alphabetically sorted info area there is detailed information available on the storage life of different types of food in the refrigerator compartment, BioFresh drawers and in the freezer compartment.

**Clear and easy to follow:** Using the menu buttons, you can select the individual functions and make the settings you want quickly and easily. All the functions are explained in detail in the info menu.



The **Liebherr safety package** with temperature alarm and FrostControl display ensures ideal protection for the valuable frozen food. The controllable **temperature alarm** sounds as soon as the temperature in the freezer rises. The **FrostControl display** helps to assess the quality and further storage life of the frozen food after a power failure. The **child-proof feature** protects against the appliance being inadvertently switched on or off.

Liebherr's **NoFrost** appliances provide expert refrigeration technology for securing long-term freshness. The food is frozen with chilled recirculated air and any humidity that is generated is expelled. As a result, the freezer is always free from ice and the food no longer frosts over. With NoFrost defrosting is a thing of the past.



The **BioFresh drawers** provide the perfect climate for keeping your food fresh longer. With the temperature maintained just above 0°C and an ideal humidity level, fruit, vegetables, meat and fish retain their healthy vitamins, their delicate flavour and their attractive appearance for up to three times longer.



The **HomeDialog system** allows the consumer to control a NoFrost premium freezer from the new LCD display panel. Interconnection is performed here exclusively with the optional extra „Power Line Module“. Expensive cable installation is not required. The only requirement is that both appliances are connected within the same circuit. If this is not the case, please contact your local Liebherr dealer.

The **Net@Home system** from Liebherr allows different machines to be connected to home bus system with the optional extra „Power Line Module“.





# Combined fridge-freezers with BioFresh

### Electronic control system

- CBNes 5067 and CBNes 3857 with LCD display
- MagicEye with digital fridge and freezer “actual-temperature” displays
- Automatic SuperCool function
- Quantity-controlled automatic SuperFrost function
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl and child proof function
- Visual/audible temperature alarm
- Interface for domestic bus connection or TeleSafe module (CBNes 5067 and CBNes 3857)

### Refrigerator compartment

- Automatic defrosting, re-circulated air cooling
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine storage racks with bottle and can holders
- Butter and cheese compartment with butter dish and egg tray
- Bottle rack
- Exotic fruit compartment
- Interior light

### BioFresh compartment

- Automatic defrosting
- Re-circulated air cooling
- Pull-out BioFresh drawers mounted on telescopic rails
- DrySafe with low humidity for fish, meat and milk products
- HydroSafe with adjustable humidity for fruit and vegetables

### NoFrost freezer compartment

- Automatic defrosting
- Re-circulated air cooling
- FrostSafe system with completely enclosed, transparent drawers
- 2 cold storage accumulators




### Equipment benefits

- SwingDesign with white appliances
- SwingLine-Design with stainless steel appliances and CBN 5066
- Slimline door handles with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back

Combined refrigerator-freezers with BioFresh
--

Total gross/net capacity
Refrigerator compartment
BioFresh compartment
Freezer compartment
Energy consumption (in 365 days)
Energy efficiency class
Climate rating
Exterior dimensions in cm (h/w/d)
Equipment, accessories
Separately adjustable cooling circuits
Compressor
IceMaker permanently plumbed in
Freezer tray
Ice cube tray
Finish

CBNes 5067 Premium BioFresh NoFrost
--

222/200 l	
126/103 l	
127/119 l	
460 kWh	
<A>	
SN-T	
200/75/63	
2	
2	
●	
stainless steel	






The **new electronic display** of the CBNes 5067 and 3857 with its innovative design, user-friendliness and clear menu assistance provides even more information and enhanced convenience. The wide array of options of the 60x60mm LCD display is presented in a clear design.






Liebherr’s new **IceMaker**, which requires plumbing-in, provides you with the appropriate supply of ice cubes for every occasion. Whether you fancy a cool drink or you’re having a big party, the two drawers will hold all the ice you’ll need. The IceMaker, which you can switch off at any time, automatically keeps your supplies topped up.





CBN 5066 Premium BioFresh NoFrost
--------------------------------------

222/200 l	
126/103 l	
127/119 l	
460 kWh	
<A>	
SN-T	
200/75/63	
2	
2	
●	
white	

CBNes 3857 Premium BioFresh NoFrost
--

179/148 l	
95/80 l	
101/83 l	
383.3 kWh	
<A>	
SN-ST	
198.2/60/63.1	
2	
1	
●	
●	
stainless steel	

CBN 3856 Premium BioFresh NoFrost
--------------------------------------

179/148 l	
95/80 l	
101/87 l	
383.3 kWh	
<A>	
SN-ST	
198.2/60/63.1	
2	
1	
●	
●	
white	



# Combined fridge-freezers with BioFresh

## 2 Compressors and 2 separately adjustable cooling circuits

### Electronic control system

- MagicEye with digital “actual-temperature” display
- Quantity-controlled automatic SuperFrost function
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl, SuperCool, BioCool and child proof function depending on the model
- Visual/audible temperature alarm for freezer compartment

### Refrigerator compartment

- Automatic defrosting, re-circulated air cooling
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine storage racks with bottle and can holders
- Butter and cheese compartment with butter dish and egg tray
- Bottle rack
- Exotic fruit compartment (except BN(es)-appliances)
- Interior light

### BioFresh compartment

- Automatic defrosting, re-circulated air cooling
- Pull-out BioFresh drawers mounted on telescopic rails
- DrySafe with low humidity for fish, meat and milk products
- HydroSafe with adjustable humidity for fruit and vegetables
- 2 GlassLine-storage shelves – 1 sections, with slide under half shelf option with BN(es)-appliances

### NoFrost Freezer compartment with BN(es)-appliances

- Automatic defrosting, re-circulated air cooling
- FrostSafe system with completely enclosed, transparent drawers
- Freezer tray
- 2 cold storage accumulators
- Ice cube tray (except BNes 2966)

### Freezer compartment with CB(es)-appliances

- FrostSafe system with completely enclosed, transparent drawers
- 2 cold storage accumulators
- Freezer tray
- Ice cube tray

### Model benefits

- SwingDesign with white appliances
- SwingLine-Design with stainless steel appliances
- Slimline door handles with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



The elegant **GlassLine interior** is tough, scratch resistant and easy to clean. The storage shelves are in satin finish glass. The attractive stainless steel trims enhance the overall harmonious look.



The new **IceMaker** (must be plumbed in) in the model BNes 2966 provides you with the appropriate supply of ice cubes for every occasion. The IceMaker, which you can switch off at any time, automatically keeps your supplies topped up.



### Combined refrigerator-freezers with BioFresh

### CB 4056 Premium BioFresh

### CBes 4056 Premium BioFresh

### CB 3656 Premium BioFresh

### BNes 2966 Premium BioFresh NoFrost

### BN 2956 ; BNes 2956 not ill. Premium BioFresh NoFrost

Total gross/net capacity	
Refrigerator compartment	175/150 l
BioFresh compartment	97/80 l
Freezer compartment	109/93 l
Energy consumption (in 365 days)	379.6 kWh
Energy efficiency class	<A>
Climate rating	SN-ST
Exterior dimensions in cm (h/w/d)	198.2/60/63.1
Equipment, accessories	
IceMaker permanently plumbed in	●
Automatic SuperCool function	●
BioCool function	●
Champagne shelf	●
Defrost water drain	●
Finish	white

175/150 l	●
97/80 l	●
109/93 l	●
379.6 kWh	●
<A>	●
SN-ST	●
198.2/60/63.1	●
●	●
●	●
●	●
●	●
white	●

175/150 l	●
97/80 l	●
109/93 l	●
379.6 kWh	●
<A>	●
SN-ST	●
198.2/60/63.1	●
●	●
●	●
●	●
●	●
stainless steel	●

175/150 l	●
97/80 l	●
71/58 l	●
346.8 kWh	●
<A>	●
SN-ST	●
178.8/60/63.1	●
●	●
●	●
●	●
white	●

155/130 l	●
135/119 l	●
379.6 kWh	●
<A>	●
SN-T	●
184.1/60/63.1	●
●	●
●	●
●	●
stainless steel	●

155/130 l	●
135/123 l	●
379.6 kWh	●
<A>	●
SN-T	●
184.1/60/63.1	●
●	●
●	●
BN 2956 in white;	●
BNes 2956 in stainless steel	●



# BioFresh refrigerators

### Electronic control system

- MagicEye with digital “set-temperature” display
- Automatic SuperCool function
- Visual and audible temperature alarm
- Control lamps for mains, alarm, SuperCool,

### Refrigerator compartment

- Automatic defrosting, re-circulated air cooling
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine storage racks with bottle and can holders
- Butter and cheese compartment with butter dish and egg tray
- Bottle rack, exotic fruit compartment
- Interior light (LED light on KBes 4250)

### BioFresh compartment

- Automatic defrosting, re-circulated air cooling
- Pull-out BioFresh Drawers mounted on telescopic rails
- DrySafe with low humidity for fish, meat and milk products
- 2 HydroSafes with adjustable humidity for fruit and vegetables

### Equipment benefits

- SwingDesign with white appliances
- SwingLine design with stainless steel appliances
- Slimline door handle with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen untis
- Adjustable feet at front, transport castors and handles at back



The **MagicEye** control keeps the temperature at exactly the level you select. It is simple and convenient to use. The **automatic SuperCool** function briefly reduces the temperature of the refrigerator to +2°C. This is ideal if you want to chill fresh food quickly.



The **BioFresh drawers** provide the perfect climate for keeping your food fresh longer. With the temperature maintained just above 0°C and an ideal humidity level, fruit, vegetables, meat and fish retain their healthy vitamins, their delicate flavour and their attractive appearance for up to three times longer.



BioFresh refrigerators
------------------------

KBes 4250 Premium BioFresh
-------------------------------

Total gross/net capacity
Refrigerator compartment
BioFresh compartment
Energy consumption (in 365 days)
Energy efficiency class
Climate rating
Exterior dimensions in cm (h/w/d)
Equipment, accessories
Finish

273/237 l
132/100 l
189,8 kWh
<A>
SN-ST
184,1/60/63,1
stainless steel

KB 4250 Premium BioFresh
-----------------------------

273/237 l
132/100 l
189,8 kWh
<A>
SN-ST
184,1/60/63,1
white

KBes 3650 Premium BioFresh
-------------------------------

223/191 l
132/100 l
182,5 kWh
<A>
SN-ST
164,4/60/63,1
stainless steel

KB 3650 Premium BioFresh
-----------------------------

223/191 l
132/100 l
182,5 kWh
<A>
SN-ST
164,4/60/63,1
white



# Combined NoFrost fridge-freezers



Illustration:  
CNPes 3867



The automatic **SuperCool function** reduces the temperature of the refrigerator to +2°C for 6 hours. This is ideal if you want to chill fresh food quickly. It switches back to normal mode automatically.

The automatic **SuperFrost function** makes freezing food easy. It quickly reduces the temperature to freeze your food while preserving the vitamins. The automatic SuperFrost function switches back to normal mode as soon as the food is completely frozen and so helps to save electricity.

The **new electronic display** with its innovative design, user-friendliness and clear menu assistance provides even more information and enhanced convenience. The wide array of options of the 60x60mm LCD display is clearly presented. All the controllable functions are accessed at the press of a menu button. Detailed information on the storage life of food is available.

The **HomeDialog system** allows the consumer to control a NoFrost premium freezer from the new LCD display panel. Interconnection is performed here exclusively with the optional extra „Power Line Module“. Expensive cable installation is not required. The only requirement is that both appliances are connected within the same circuit. If this is not the case, please contact your local Liebherr dealer.

**Net@Home system** from Liebherr allows different machines to be connected to home bus system with the optional extra „Power Line Module“.

The **bottle shelf** is the practical and elegant answer for storing drinks. As many as 5 bottles can be chilled and neatly stored here.



The **Liebherr safety system** with temperature alarm and FrostControl display ensures ideal protection for valuable frozen food. The switchable **temperature alarm** sounds as soon as the temperature in the freezer rises. The **FrostControl display** helps to assess the quality and further storage life of frozen food after a power failure. The **child-proof feature** protects against the appliance being inadvertently switched on or off.

Liebherr's **NoFrost** appliances provide expert refrigeration technology for long-term storage. The food is frozen with chilled re-circulated air and any humidity generated is expelled. As a result, the freezer is always free from ice and the food no longer frosts over. With NoFrost defrosting is a thing of the past.

The attractively designed **transparent drawers** are extremely practical: they are extra deep, sealed all round and can be removed. So they give you a clear view of the contents and offer convenient storage. They are designed so that all frozen food from large poultry to a boxed pizza will fit conveniently and neatly.

The practical **freezer tray** is ideal to freeze fruit, berries and herbs and prevents them from sticking together. Items being frozen will largely retain their shape and it will be easier to remove exactly the right quantity later on.

The new **slimline handle** with integrated opening mechanism is ergonomically adapted to the respective door height and offers ideal opening ease with the Liebherr opening mechanism.



# Combined NoFrost fridge-freezers

## Electronic control system

- CNPes 3867 with LCD-display
- MagicEye with digital refrigerator and freezer “actual-temperature” displays
- Automatic SuperCool function
- Quantity-controlled automatic SuperFrost function
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl and child proof function
- Visual/audible temperature alarm
- Interface for domestic bus connection or TeleSafe module (CNPes 3867)

## Refrigerator compartment

- Re-circulated air cooling, automatic defrosting
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine storage racks with bottle and can holders
- Butter and cheese compartment with butter dish and egg tray
- Bottle rack/shelf, fruit and vegetable bins
- Interior light

## NoFrost freezer compartment

- Re-circulated air cooling, automatic defrosting
- FrostSafe system with completely enclosed, transparent drawers
- 2 cold storage accumulators

## Equipment benefits

- SwingDesign with white appliances
- SwingLine design with stainless steel appliances and CN(a) 5056
- Slimline door handles with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall and with front ventilation,suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



Liebherr’s **NoFrost** appliances provide expert refrigeration technology for long-term storage. The food is frozen with chilled re-circulated air and any humidity that is generated is expelled. As a result, the freezer is always free from ice and the food no longer frosts over. With NoFrost, defrosting is a thing of the past.




The stainless steel **SwingLine** models and models in AluStyle as well as CN 5056 design with side profile are presented in timeless elegance, with the embossed Liebherr logo on the doors adding one more harmonious detail.




## Combined refrigerator-freezers with NoFrost

Total gross/net capacity	
Refrigerator compartment	
Freezer compartment	
Energy consumption (in 365 days)	
Energy efficiency class	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Equipment, accessories	
Separately adjustable cooling circuits	
Compressors	
IceMaker permanently plumbed in	
Freezer tray	
Ice cube tray	
Finish	



## CNes 5066 Premium NoFrost

349/330 l	
127/119 l	
464 kWh	
<A>	
SN-T	
200/75/63	
2	
2	
●	
stainless steel	


## CN 5056; CNes 5056 not ill.; CNa 5056 not ill. Premium NoFrost

349/330 l	
127/122 l	
464 kWh	
<A>	
SN-T	
200/75/63	
2	
2	
●	
CN 5056 in white; CNes 5056 in stainless steel; CNa 5056 in AluStyle	


## CNPes 3867 Premium NoFrost

276/269 l	
101/89 l	
321,2 kWh	
<A>	
SN-T	
198.2/60/63.1	
2	
1	
●	
●	
stainless steel	

## CNes 3866 Premium NoFrost

276/269 l	
101/89 l	
401,5 kWh	
<A>	
SN-T	
198.2/60/63.1	
2	
1	
●	
●	
stainless steel	

## CN 3866 Premium NoFrost

276/269 l	
101/89 l	
401. kWh	
<A>	
SN-T	
198.2/60/63.1	
2	
1	
●	
●	
white	



# Combined NoFrost fridge-freezers

2 separately adjustable cooling circuits

Electronic control system

- MagicEye with digital refrigerator and freezer "actual-temperature" displays with Premium appliances
- MagicEye with LED "set-temperature" refrigerator and freezer temperature displays with Comfort appliances
- Automatic SuperFrost function (quantity-controlled with Premium appliances)
- Control lamps for mains, alarm, SuperFrost (with Comfort appliances) and SuperCool, FrostControl and child proofing
- Visual and audible temperature alarm

Refrigerator compartment

- Re-circulated air cooling, automatic defrosting
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Butter and cheese compartment with butter dish (Premium appliances) and egg tray
- Fruit and vegetable bins
- Interior light

NoFrost freezer compartment

- Re-circulated air cooling
- Automatic defrosting
- FrostSafe system with completely enclosed, transparent drawers
- Ice cube tray

Equipment benefits

- SwingDesign with white appliances
- SwingLine design with stainless steel appliances and CNa 3813
- Slimline door handles with integrated opening mechanism (except CN(a) 3023)
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



The elegant **GlassLine interior** is tough, scratch resistant and easy to clean. The storage shelves are in satin finish glass. The attractive stainless steel trims enhance the overall harmonious look.




The new transparent **storage shelves** in the inner door offer convenient storage for even 1.5 litre bottles. Adjustable bottle and can holders keep the contents securely in place.




Combined refrigerator-freezers with NoFrost

Total gross/net capacity	
Refrigerator compartment	
Freezer compartment	
Energy consumption (in 365 days)	
Energy efficiency class	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Equipment, accessories	
Automatic SuperCool function	
GlassLine storage racks with bottle and can holders	
Plastic storage racks with bottle and can holders	
Bottle shelf	
2 cold storage accumulators	
Freezer tray	
Finish	


CNes 3666; CN 3666 not ill.  
Premium NoFrost

230/224 l	
135/123 l	
412.5 kWh	
<A>	
SN-T	
200.0/60/63.1	
●	
●	
●	
●	
●	
●	
CNes 3666 in stainless steel; CN 3666 in white	


CN 3366; CNes 3366 not ill.  
Premium NoFrost

230/224 l	
101/89 l	
376 kWh	
<A>	
SN-T	
180.6/60/63.1	
●	
●	
●	
●	
●	
●	
CN 3366 in white; CNes 3366 in stainless steel	


CN 3023; CNa 3023 not ill.  
Comfort NoFrost

197/194 l	
87/79 l	
350.4 kWh	
<A>	
SN-ST	
179.8/55,2/62.8	
●	
CN 3023 in white; CNa 3023 in AluStyle	


CNa 3813; CN 3813 not ill.  
Comfort NoFrost

276/269 l	
101/89 l	
401.5 kWh	
<A>	
SN-T	
198.2/60/63.1	
●	
●	
●	
CNa 3813 AluStyle; CN 3813 in white	

CN 3613  
Comfort NoFrost

230/224 l	
135/123 l	
412.5 kWh	
<A>	
SN-T	
200.0/60/63.1	
●	
●	
●	
white	

CN 3313  
Comfort NoFrost

230/224 l	
101/89 l	
376 kWh	
<A>	
SN-T	
180.6/60/63.1	
●	
●	
●	
white	



# Combined fridge-freezers

### Electronic control system

- MagicEye with digital refrigerator and freezer “actual-temperature” display with CP 4056
- MagicEye with LED “set-temperature” display on other appliances
- Automatic SuperCool function (CP 4056)
- Automatic SuperFrost function (quantity-controlled with Premium appliances)
- Control lamps for mains, alarm, SuperFrost and additionally on CPes 4056 for SuperCool, FrostControl and child proof function
- Visual/audible temperature alarm for freezer compartment

### Refrigerator compartment

- Automatic defrosting
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Butter and cheese compartment and egg tray
- Bottle shelf on CPes 4056
- Fruit and vegetable bins
- Interior light

### Freezer compartment

- FrostSafe system with completely enclosed, transparent drawers
- Freezer tray (except CP 3513 and Ces 4003)
- Ice cube tray
- 2 cold storage accumulators (except CP 3513 and Ces 4003)
- Defrost water drain (except CPes 4056 and CP 3513)

### Equipment benefits

- SwingDesign with white appliances and Ces 4003
- SwingLine design (Ca 4023)
- Slimline door handles with integrated opening mechanism
- Rigid slimline door handle with Ces 4003
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



The **MagicEye control** (CP 4056) keeps the temperature at exactly the level you select. It is simple and convenient to use. The **automatic SuperCool function** briefly reduces the temperature of the refrigerator to +2°C. This is ideal if you want to chill fresh food quickly.



**SmartFreeze.** The inside walls of the CP models are especially smooth and easy to clean as a result. The attractive intervening shelves made of glass and the transparent drawers are removable. This means the entire interior can be used as Vario-Space for storing large frozen items as well.



Combined refrigerator-freezers	
Total gross/net capacity	
Refrigerator compartment	
Freezer compartment	
Energy consumption (in 365 days)	
Energy efficiency class	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Equipment, accessories	
Compressors	
Separately adjustable cooling circuits	
GlassLine storage racks with bottle and can holders	
Plastic storage racks with bottle and can holders	
SmartFreeze-System	
Butter dish	
Finish	

CP 4056 Premium	
276/265 l	
92/89 l	
215.4 kWh	
<A++	
SN-T	
198.2/60/63.1	
1	
2	
●	
●	
●	
white	

Ca 4023; C 4023 not ill. Comfort	
274/266 l	
109/93 l	
365 kWh	
<A	
SN-T	
198.2/60/63.2	
2	
2	
●	
Ca 4023 in AluStyle; C 4023 in white	

CP 3513 Comfort	
230/221 l	
92/89 l	
273.8 kWh	
<A+	
SN-ST	
180.6/60/63.1	
1	
2	
●	
●	
white	

Ces 4003	
274/266 l	
109/93 l	
365 kWh	
<A	
SN-T	
198.2/60/63.1	
2	
2	
●	
stainless steel	



# Fridge-freezers

### Electronic control system

- MagicEye with LED refrigerator "set-temperature" display
- Automatic SuperFrost function
- Control lamps for mains and SuperFrost

### Refrigerator compartment

- Automatic defrosting
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Butter and cheese compartment with butter dish and egg tray
- Fruit and vegetable bins
- Interior light

### Freezer compartment

- FrostSafe system with completely enclosed, transparent drawers
- Ice cube tray

### Feature benefits

- SwingDesign with white appliances
- SwingLine design with stainless steel appliances and CUP 4653
- Slimline door handle with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall with front ventilation suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



The elegant **GlassLine interior** is tough, scratch resistant and easy to clean. The storage shelves are in satin finish glass. The attractive stainless steel trims enhance the overall harmonious look.



**SmartFreeze** – the attractive intervening shelves made of glass and the transparent drawers are removable. This means the entire interior can be used as VarioSpace for storing large frozen items as well. As a result the inside walls of the CUP models are especially smooth and easy to clean.



Automatic refrigerator-freezers	
Total gross/net capacity	
Refrigerator compartment	
Freezer compartment	
Energy consumption (in 365 days)	
Energy efficiency class	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Equipment, accessories	
GlassLine storage racks with bottle and can holders	
Plastic storage racks with bottle and can holders	
Bottle rack	
SmartFreeze-System	
Freezer tray	
Finish	

CUPes 4653; CUP 4653 not ill. Premium	
339/337 l	
99/95 l	
303 kWh	
<A	
SN-T	
184/75/63	
CUPes 4653 in stainless steel; CUP 4653 in white	

CUP 3553; CUPa 3553 not ill. Premium	
230/221 l	
92/89 l	
273.8 kWh	
<A	
SN-ST	
180.6/60/63.1	
CUP 3553 in white; CUPa 3553 in AluStyle	

CUP 3153 Premium	
230/221 l	
58/56 l	
248.2 kWh	
<A	
SN-ST	
161.2/60/63.1	
white	

CUP 2653 Premium	
184/177 l	
58/56 l	
233.6 kWh	
<A	
SN-ST	
143.1/60/63.1	
white	



# Fridge-freezers

## Refrigerator compartment

- Automatic defrosting
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Plastic storage racks with bottle and can holders
- Butter and cheese compartment with egg tray
- Fruit and vegetable bins
- Interior light

## NoFrost freezer compartment with CUN 3021

- Re-circulated air cooling
- Automatic defrosting
- FrostSafe system with completely enclosed, transparent drawers
- Ice cube tray

## Freezer compartment with CU models

- FrostSafe system with completely enclosed, transparent drawers
- Ice cube tray

## Equipment benefits

- SwingDesign
- Interchangeable door hinges
- Slimline door handles
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



Liebherr’s **NoFrost** appliance (CUN 3021) provide expert refrigeration technology for long-term freshness. The food is frozen with chilled re-circulated air and any humidity that is generated is expelled. As a result, the freezer is always free from ice and the food no longer frosts over. With NoFrost, defrosting is a thing of the past.



The elegant **GlassLine equipment** is tough, scratch resistant and easy to clean. The glass storage shelves are in satin finish. The attractive stainless steel trims enhance the overall harmonious look.



Automatic refrigerator-freezers
---------------------------------

CUN 3021 Comfort NoFrost
-----------------------------

Total gross/net capacity
Refrigerator compartment
Freezer compartment
Energy consumption (in 365 days)
Energy efficiency class
Climate rating
Exterior dimensions in cm (h/w/d)
Equipment, accessories
Finish

197/195 l
87/79 l
350.4 kWh
<A>
SN
178.9/55.2/62.8
white

CU 3021 Comfort
--------------------

202/199 l
105/85 l
328.5 kWh
<A>
SN-ST
178.9/55.2/62.8
white

CU 2721 Comfort
--------------------

202/199 l
70/53 l
299.3 kWh
<A>
SN-ST
159.5/55.2/62.8
white

CU 2221 Comfort
--------------------

145/141 l
70/49 l
270.1 kWh
<A>
SN-ST
136/55/62.8
white



# Top mount fridge-freezers



**No  
Frost**



The high-performance **re-circulated air system** ensures rapid cooling of foodstuffs and an even cooling temperature throughout the entire internal space. Door contact switches turn off the ventilator when the door is opened, which saves valuable energy and prevents warmer external air from entering the refrigerator.



The stainless steel SwingLine models and models in **AluStyle** with **side profile** are presented in timeless elegance, with the embossed **Liebherr logo** on the doors adding one more harmonious detail.



The elegant **GlassLine shelves** are durable, scratch-resistant and easy to clean. The high-quality stainless steel strips put the finishing touch to a truly harmonious overall look.



The **bottle shelf** provides a practical solution for storing drinks and tall containers. Up to six bottles can be chilled especially quickly and kept stored in a space-saving way. The aesthetic design of the bottle shelf harmonizes perfectly with the elegant GlassLine features in the internal fittings.



The **automatic SuperFrost function** quickly reduces the temperature and in the process creates the cold environment required for vitamin-preserving freezing. As soon as the food is completely frozen the SuperFrost function switches back to normal operation and therefore saves energy.



The **NoFrost** Fridge-Freezer from Liebherr provides freezing performance in top professional quality for safe long-term storage. Foodstuffs are deep-frozen with chilled re-circulated air and any moisture generated is expelled. This has the effect of keeping the freezer section constantly frost free and foodstuffs cannot deteriorate. With NoFrost technology you will never have to defrost your fridge-freezer again.



The CTN and CTP series are also fitted with high-quality GlassLine shelves on the inside of the door. Adjustable bottle, container and can holders provide optimum lateral storage, which even allows 1.5 litre bottles to be neatly stored in the refrigerator.



The new **slimline door handles** with integrated opening mechanism in stainless steel or white are ergonomically set to the respective door height and guarantee optimum opening ease.



The practical and easy to clean **veg-etable compartment** provides plenty of space for storing fruit and vegetables.

Illustration  
CTNes 4653



# Top mount fridge-freezers

### Electronic control system

- MagicEye with LED set-temperature display
- Automatic SuperFrost function
- Control lamps for mains and SuperFrost

### Refrigerator compartment

- Automatic defrosting
- Re-circulated air cooling
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine storage racks with bottle and can holders
- Butter and cheese compartment with butter dish and egg tray
- Fruit and vegetable bins
- Interior light

### Freezer compartment

- Grid shelf with ice cube tray holder
- Ice cube tray

### Equipment benefits

- SwingDesign with white appliances
- SwingLine design with stainless steel appliances and CTN(a) 4653, CTNa 3123
- Slimline door handle with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front



Liebherr's **NoFrost** appliance provide expert refrigeration technology for long-term freshness. The food is frozen with chilled re-circulated air and any humidity that is generated is expelled. As a result, the freezer is always free from ice and the food no longer frosts over. With NoFrost, defrosting is a thing of the past.




The new **slimline handle** is ergonomically adapted to the respective door height and offers ideal opening ease.




### Automatic refrigerator-freezers

Total gross/net capacity	
Refrigerator compartment	
Freezer compartment	
Energy consumption (in 365 days)	
Energy efficiency class	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Equipment, accessories	
2 separately adjustable cooling circuits	
NoFrost freezer compartment (automatic defrosting)	
Bottle rack	
Bottle shelf	
Finish	


**CTNes 4653; CTNa 4653;**  
**CTN 4653** not ill. **Premium NoFrost**

326/324 l	
87/82 l	
419.8 kWh	
<A>	
SN-T	
184/75/63	
•	
•	
•	
CTNes 4653 in stainless steel;	
CTNa 4653 in AluStyle;	
CTN 4653 in white	


**CTN 3553; CTNes 3553** not ill.  
**Premium NoFrost**

249/245 l	
62/60 l	
328.5 kWh	
<A>	
SN-T	
184/60/63	
•	
•	
•	
CTN 3553 in white;	
CTNes 3553 in stainless steel	


**CTPes 3153; CTP 3153** not ill.  
**Premium**

226/224 l	
73/72 l	
248.2 kWh	
<A>	
SN-ST	
169/60/63	
CTPes 3153 in stainless steel;	
CTP 3153 in white	

**CTN 3123; CTNa 3123; CTNes 3123**  
**Premium NoFrost**

226/224 l	
62/60 l	
328.5 kWh	
<A>	
SN-ST	
169/60/63	
•	
CTN 3123 in white	
CTNa 3123 in AluStyle	
CTNes 3123 in stainless steel	

**CTP 2553**  
**Premium**

191/185 l	
49/47 l	
219 kWh	
<A>	
SN-ST	
138/60/63	
white	



# Top mount fridge-freezers

## Refrigerator compartment

- Automatic defrosting
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Plastic storage racks with bottle and can holders
- Butter and cheese compartment with egg tray
- Fruit and vegetable bins
- Interior light

## Freezer compartment

- Grid shelf
- Ice cube tray

## Feature benefits

- SwingDesign
- SwingLine design with CTa 3113
- Interchangeable door hinges
- Slimline door handle with integrated opening mechanism with CTa 3113 and CT 3111
- Rigid slimline door handles
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Adjustable feet at front





The new transparent storage racks in the inner door offer convenient storage for even 1.5 litre bottles. Adjustable bottle and can holders keep the contents securely in place.





The elegant **GlassLine interior** is tough, scratch resistant and easy to clean. The storage shelves are in satin finish glass. The attractive stainless steel trims enhance the overall harmonious look.





Automatic refrigerator-freezers	
Total gross/net capacity	
Refrigerator compartment	
Freezer compartment	
Energy consumption (in 365 days)	
Energy efficiency class	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Equipment, accessories	
MagicEye with LED temperature display	
CoolPlus function  -freezer compartment	
Automatic SuperFrost function	
Control lamps for mains and SuperFrost	
Butter dish	
Finish	


CTa 3113 not ill. Comfort
226/224 l
73/72 l
324.9 kWh

SN-ST
169/60/63
●
●
●
●
AluStyle

CT 3111 Comfort
226/224 l
73/72 l
324.9 kWh

SN-ST
169/60/63
●
white

CT 2821 Comfort
221/219 l
54/54 l
306.6 kWh

SN-ST
155.5/55.2/61.3
●
white

CTa 2421 Comfort
185/183 l
54/54 l
292 kWh

SN-ST
140.9/55.2/61.3
●
AluStyle

CT 2421 Comfort
185/183 l
54/54 l
292 kWh

SN-ST
140.9/55.2/61.3
●
white

CT 2031; CTa 2031 not ill. Comfort
154/151 l
44/44 l
266,5 kWh

SN-ST
121.5/55.2/61.3
●
CT 2031 in white; CTa 2031 in AluStyle



# Upright refrigerators



Illustration:  
Kes 4260



The elegant **GlassLine storage shelves** are tough, scratch resistant and easy to clean. The high quality stainless steel trims enhance the harmonious look of the refrigerator. The **interior** can be adapted to suit every need as the shelves are adjustable in height. One of the shelves is sectioned so that the front half can slide under the other to quickly provide room for tall containers.



The **inner door** features high quality GlassLine shelves for conveniently storing even 1.5 litre bottles. Adjustable bottle and can holders keep the contents securely in place.



The **bottle shelf** is the practical and elegant answer for storing drinks. As many as 5 bottles can be chilled and neatly stored here.



The **vegetable compartment** provides plenty of room for storing fruit and vegetables. It is practical and easy to clean.



**Electronic control system in attractive design.** The new electronic control system keeps the temperature at exactly the level you select. The refrigerator "set-temperature" is displayed by LED in the MagicEye.

The automatic **SuperCool function** reduces the temperature of the refrigerator to +2°C for 6 hours. This is ideal if you want to chill fresh food quickly. It switches back to normal mode automatically.



Timeless elegance: the SwingLine stainless steel models with **side-edge profile**. The **Liebherr logo** adds a harmonious touch to the doors.



The new **slimline door handles** with integrated opening mechanism in stainless steel or white are ergonomically adapted to the respective door height and offer ideal opening ease.



The efficient **re-circulated air system** ensures that freshly stored food is rapidly chilled and provides a uniform cooling temperature throughout the interior. Door contact switches turn off the fan when the door is opened, saving valuable energy and preventing warm air from flowing in from the outside.



You can freeze fresh food and store frozen food for long periods in appliances with the **4-star freezer compartment**. Temperatures of -18°C and lower ensure food is stored preserving vitamins and minerals.



## Upright refrigerators

## Electronic control system

- MagicEye with LED refrigerator "set-temperature" display

## Refrigerator

- Automatic defrosting for refrigerator compartment
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine storage racks with bottle and can holders
- Butter and cheese compartment with butter dish and egg tray
- Fruit and vegetable bins
- Bottle shelf
- Interior light

## Feature benefits

- SwingDesign with white appliances
- SwingLine design with stainless steel appliances
- Slimline door handle with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



The elegant **GlassLine interior** is tough, scratch resistant and easy to clean. The glass storage shelves are in satin finish. The attractive stainless steel trims enhance the overall harmonious look.



The **bottle shelf** is the practical and elegant answer for storing drinks. As many as 5 bottles can be chilled and compactly stored here.



Upright refrigerators	Kes 4260 Premium	K 4260 Premium	Kes 3660; K 3660 not ill. Premium	K 3464 Premium	K 3150 Premium
Total gross/net capacity	413/398 l	413/398 l	362/348 l	333/319 l	309/301 l
Energy consumption (in 365 days)	182.5 kWh	182.5 kWh	178.9 kWh	299.3 kWh	135.1 kWh
Energy efficiency class					
Climate rating	SN-T	SN-T	SN-T	SN-T	SN-T
Exterior dimensions in cm (h/w/d)	184.1/60/63.1	184.1/60/63.1	164.4/60/63.1	164.4/60/63.1	144.7/60/63.1
Equipment, accessories					
-freezer compartment					
Re-circulated Aircooling					
Automatic SuperCool function					
Automatic SuperFrost function					
Ice cube tray					
Finish	stainless steel	white	Kes 3660 in stainless steel; K 3660 in white	white	white



# Upright refrigerators

## Electronic control system for Premium range

- MagicEye with LED refrigerator "set-temperature" display

## Refrigerator

- Automatic defrosting for refrigerator compartment
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine storage racks with bottle and can holders (Premium models)
- Butter and cheese compartment with butter dish (Premium models) and egg tray
- Fruit and vegetable bins
- Interior light

## Equipment benefits

- SwingDesign
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front and transport castors and handles at back (Premium models)



The **vegetable compartment** provides plenty of room for storing fruit and vegetables. It is practical and easy to clean.



You can freeze fresh food and store frozen food for long periods in the **4-star freezer compartment**. Temperatures of -18°C and lower ensure that food is stored preserving vitamins and minerals.



Upright refrigerators	K 2954 Premium	K 2454 Premium	K 2650 Premium	K 2724 Comfort	K 2320 Comfort
Total gross/net capacity	281/273 l	231/223 l	258/251 l	263/255 l	221/219 l
Energy consumption (in 365 days)	244.6 kWh	211.7 kWh	131.4 kWh	284.7 kWh	160.6 kWh
Energy efficiency class	<div>&lt;A&gt;<div>A+</div></div>	<div>&lt;A&gt;<div>A+</div></div>	<div>&lt;A&gt;<div>A+</div></div>	<div>&lt;A&gt;<div>A</div></div>	<div>&lt;A&gt;<div>A</div></div>
Climate rating	SN-T	SN-T	SN-T	SN-ST	SN-ST
Exterior dimensions in cm (h/w/d)	144.7/60/63.1	125.0/60/63.2	125/60/63.1	142/55/60	116.8/55.2/62.8
Equipment, accessories					
❖ ❖ ❖ ❖ -freezer compartment	●	●	●	●	●
Automatic SuperCool function	●	●	●		
Automatic SuperFrost function	●	●	●		
Ice cube tray	●	●	●		
Slimline door handle with integrated opening mechanism	●	●	●	●	●
Slimline door handle					
Finish	white	white	white	white	white



# Table-height refrigerators

## Refrigerator

- Automatic defrosting for refrigerator compartment
- GlassLine storage shelves – (1 sectioned, with slide under half shelf option with Premium-models)
- Butter and cheese compartment with egg tray
- Fruit and vegetable bins
- Interior light

## Feautre benefits

- Ergonomic slimline door handle
- Front ventilation and removable worktop, suitable for installation underneath worktop and in a row of kitchen units (worktop must be ventilated)
- Recessed condenser enabling flush-fit with wall
- Adjustable feet at front



## Easily installed underneath worktop

The refrigerators are equipped with interchangeable door hinges as well as a removable worktop. You can therefore easily install the appliance underneath an existing worktop in the kitchen (extra ventilation is required).



## Crystal clear advantages

The glass shelves are adjustable in height to suit every storage need. They are tough, scratch resistant and easy to clean. One of the shelves is sectioned so that the front half slides under the other to quickly provide room for tall containers.



Table-height refrigerators
----------------------------

Total gross/net capacity
Energy consumption (in 365 days)
Energy efficiency class
Climate rating
Exterior dimensions in cm (h/w/d)
Equipment, accessories
❄❄❄❄-freezer compartment
CoolPlus function ❄❄❄❄-freezer compartment
GlassLine storage racks with bottle and can holders
Plastic storage racks with bottle and can holders
SwingDesign
Finish

KTPes 1740 Premium
--------------------

153/150 l
84 kWh
⊿A++
SN
85.0/60.1/60
●
stainless steel

KTP 1740 Premium
------------------

153/150 l
84 kWh
⊿A++
SN
85.0/60.1/62.6
●
●
white

KTPes 1544; KTP 1544 niet afg. Premium
--

138/131 l
124.1 kWh
⊿A++
SN
85.0/60.1/60 (white: 85.0/60.1/62.6)
●
●
●
● (KTP 1544)
KTPes 1544 in stainless steel;
KTP 1544 in white

KT 1800
---------

178/174 l
153.3 kWh
⊿A
SN
85.0/60.1/62.8
●
●
white

KT 1704
---------

160/154 l
240.9 kWh
⊿A
SN
85.0/60.1/62.6
●
●
●
●
white



# Table-height refrigerators

## Refrigerator

- Automatic defrosting for refrigerator compartment
- GlassLine storage shelves
- Transparent plastic storage racks
- Fruit and vegetable bins
- Interior light

## Feature benefits

- Front ventilation and removable worktop, suitable for installation underneath worktop and in a row of kitchen units (worktop must be ventilated)detachable top
- Flush with wall
- Adjustable feet at front

## Cool box KX 1011

- Grid shelf with plastic storage shelf that can be hinged up
- 1 glass shelf
- Plastic storage racks
- Bottle holder
- Ice compartment with ice cube tray
- Egg tray
- Fruit and vegetable bin
- Interchangeable door hinges
- Interior light
- Adjustable feet at front







You can freeze fresh food and store frozen food for long periods in the **4-star freezer compartment**. Temperatures of -18 °C and lower ensure that food is stored preserving vitamins and minerals.



The new, transparent storage racks in the inner door offer convenient storage for even 1.5 litre bottles. Adjustable bottle and can holders keep the contents securely in place.



Table-height refrigerators	KTS 1730 Comfort	KTS 1534 Comfort	KTP 1434 <small>not ill.</small> Comfort	KTP 1430 Comfort	KTS 1434 Comfort	KTS 1430 Comfort	KX 1011
Total gross/net capacity	154/151 l	141/135 l	128/122 l	140/137 l	128/122 l	140/137 l	102/92 l
Energy consumption (in 365 days)	153.3 kWh	230 kWh	172.6 kWh	116.8 kWh	226.3 kWh	149.7 kWh	146 kWh
Energy efficiency class	<small>&lt;A</small>	<small>&lt;A</small>	<small>&lt;A</small> 	<small>&lt;A</small> 	<small>&lt;A</small>	<small>&lt;A</small>	<small>&lt;A</small>
Climate rating	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST
Exterior dimensions in cm (h/w/d)	85.0/55.4/62.3	85.0/55.4/62.3	85.0/55.4/62.3	85.0/55.4/62.3	85.0/50.1/62	85.0/50.1/62	63.0/55.1/62.3
Equipment, accessories							
 -freezer compartment		●	●		●		
CoolPlus function for  -freezer compartment		●					
SwingDesign	●	●	●	●	●	●	
Finish	white	white	white	white	white	white	white



# Side-by-Side combinations

## The big food-storage centres

Illustration:  
SBSes 7053



The digital display in the **MagicEye** tells you the exact temperatures in the two multi-temperature wine compartments and in the freezer at a glance.

The **automatic SuperFrost function** quickly reduces the temperature to freeze your food while preserving the vitamins. The automatic SuperFrost function automatically switches back to normal mode when the food is completely frozen and so saves electricity.

The new SBSes 7053 side-by-side combination with five different climate zones boasts an array of innovative solutions. The multi-temperature wine cabinet has two zones for storing wine at the very temperature you want, ranging from +5 °C and +18 °C. The NoFrost freezer with automatic IceMaker provides expert refrigeration technology for long-term freshness. A spacious refrigerator is at your disposal for everyday supplies of fresh food. And, in the BioFresh compartment, fruit vegetables, meat and fish stay fresh up to three times longer. With the cooling zone, BioFresh, freezing zone and two different temperature zones for wine, this all goes to give you the ideal storage temperature for all types of food and drinks. The **LED light** in the wine storage compartments can be dimmed, providing pleasant ambient lighting for the whole space inside.

Liebherr's **NoFrost** appliances provide expert refrigeration technology for securing long-term freshness. The food is frozen with chilled re-circulated air and any humidity that is generated is expelled. As a result, the freezer is always free from ice and the food no longer frosts over. With **NoFrost** defrosting is a thing of the past.

Liebherr's new **IceMaker**, which requires to be permanently plumbed in, provides you with the appropriate supply of ice cubes for every occasion. Whether you fancy a cool drink or you're having a big party, the two drawers will hold all the ice you'll need. The **IceMaker**, which you can switch off at any time, automatically keeps your supplies topped up.



The **Liebherr safety package** with temperature alarm and FrostControl display ensures ideal protection for the valuable frozen food. The **switchable temperature** alarm sounds as soon as the temperature in the freezer rises. The FrostControl display helps to assess the quality and further storage life of the frozen food after a power failure. The **child-proof feature** protects against the appliance being inadvertently switched on or off.

The **BioFresh** safes provide the perfect climate for keeping your food fresh longer. With the temperature maintained just above 0°C and an ideal humidity level, fruit, vegetables, meat and fish retain their healthy vitamins, their delicate flavour and their attractive appearance for up to three times longer. Different types of food require different climatic conditions to preserve their keeping quality. That is why Liebherr's Bio-Fresh technology offers you just the conditions needed. The low humidity **DrySafe** is ideal for storing meat, fish and dairy products. Fruit and vegetables are best kept in the **Hydro-Safe** with a high level of humidity.

The **bottle shelf** is the practical and elegant answer for storing drinks. As many as 5 bottles can be chilled and compactly stored here.

The elegant **GlassLine interior** is tough, scratch resistant and easy to clean. The storage shelves and door racks are in satin finish glass. The attractive stainless steel trims add the finishing touch to the harmonious appearance. The interior can be adapted to suit every need. One of the **glass shelves** is sectioned so that the front half can slide under the other to provide room for tall containers. In addition, 1.5 litre bottles can be stored conveniently in the inner door.

Timeless elegance: the SwingLine stainless steel models with **side-edge relief**. The new **slimline door handle** with integrated opening mechanism is ergonomically adapted to the respective door height and offers ideal opening ease. The **Liebherr logo** adds a harmonious touch to the doors.



# Side-by-Side combined fridge-freezers

2 compressors and 4 separately adjustable cooling circuits

### Electronic control system

- MagicEye with digital temperature display for Refrigerator-, Winestorage- and NoFrost freezer-compartment
- SuperCool function
- Quantity-controlled automatic SuperFrost function
- Control lamps for mains, alarm, SuperFrost, FrostControl and child proof function
- Audible temperature alarm for NoFrost freezer compartment and Wine storage compartment – visual and audible

### Wine storage compartment

- 2 independent temperature zones, each adjustable between + 5° C and +18° C
- Re-circulated air cooling with 2 ventilators
- Separately switchable and dimmable LED internal lighting
- Fresh air supply via active charcoal filter
- Wooden shelves on pull-out telescopic rails for presenting wines, folding half-shelf to provide upright storage facility
- Double glazed tinted glass door with stainless steel frame

### NoFrost freezer compartment with IceMaker

- Re-circulated air cooling
- Automatic defrosting
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace with removable drawers and glass intervening shelves
- 2 cold-storage accumulators
- IceMaker – automatic ice-cube maker (can be switched off) with fixed water connection and solenoid valve (needs to be plumbed in).

### Refrigerator compartment

- Automatic defrosting
- Re-circulated air cooling
- GlassLine storage shelves – 1 sectioned, one half can slide underneath the other
- GlassLine storage racks with bottle/can holder
- Butter and cheese compartment with butter dish and egg tray
- Bottle rack
- Tropical fruit section
- New LED lighting

### BioFresh compartment

- Automatic defrosting, re-circulated air cooling
- Pull-out BioFresh drawers mounted on telescopic rails
- DrySafe with low humidity for fish, meat and milk products
- 2 HydroSafes with adjustable humidity for fruit and vegetables






### Feature benefits

- SwingLine design
- Stainless steel slimline door handle with integrated opening mechanism
- Flush with wall
- Adjustable feet at front, transport castors and handles at back







(Not available until July 2005)

Side-by-Side combined refrigerator-freezers	
Total gross/net capacity	
Refrigerator compartment	
BioFresh compartment	
Freezer compartment	
Wine storage compartment	
Energy consumption (in 365 days)	
Energy efficiency class	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Equipment, accessories	
IceMaker permanently plumbed in	
Compressors	
Separately adjustable cooling circuits	
Finish	

SBSes 7053 Premium Vinidor BioFresh NoFrost	
273/237 l	
132/100 l	
135/117 l	
143/124 l	
525.6 kWh	
<A/A>	
SN-ST	
184.1/121/63.1	
●	
2	
4	
stainless steel	

	Gross/net capacity				Energy consumption (in 365 days)	Energy efficiency class	Dimensions in cm (h/w/d)
	Refrigerator	BioFresh	Freezer	Wine compartment			
SBSes 7053 Premium Vinidor BioFresh NoFrost	273/237 l	132/100 l	135/117 l	143/124 l	525.6 kWh	<A/A>	184.1/121/63.1
SBSes 7052 Premium GrandCru NoFrost	413/398 l		135/119 l	155/144 l	554.8 kWh	<A/A>	184.1/121/63.1
SBSes 7051 Premium BioFresh NoFrost	413/398 l	155/130 l	135/119 l		562.1 kWh	<A/A>	184.1/121/63.1
SBS(es) 7001 Premium BioFresh NoFrost	413/398 l	155/130 l	135/123 l		562.1 kWh	<A/A>	184.1/121/63.1
SBS(es) 6102 Premium BioFresh NoFrost	223/191 l	132/100 l	238/220 l		467.2 kWh	<A/A>	164.4/121/63.1
SBS(es) 7202 Premium NoFrost	413/398 l		276/257 l		492.8 kWh	<A/A>	184.1/121/63.1
SBS(es) 6302 Premium NoFrost	362/348 l		238/220 l		463.6 kWh	<A/A>	164.4/121/63.1



SBSes 7051 Premium BioFresh NoFrost	
413/398 l	
155/130 l	
135/119 l	
562.1 kWh	
<A/A>	
SN-T	
184.1/121/63.1	
●	
3	
3	
stainless steel	

### Electronic control system

- MagicEye with digital temperature display for NoFrost freezer compartment and BioFresh compartment
- LED digital temperature display for refrigerator compartment
- SuperCool function quantity-controlled
- Automatic SuperFrost function
- Control lamps for mains, alarm, SuperFrost, FrostControl and child proofing
- Temperature alarm for NoFrost freezer compartment – visual and audible

### BioFresh-compartment

- Automatic defrosting
- Re-circulated air cooling
- BioFresh drawers mounted on telescopic rails
- DrySafe with low humidity for fish, meat and milk products
- HydroSafe with adjustable humidity for fruit and vegetables
- Champagne shelf for rapid cooling of bottles
- 2 GlassLine storage shelves – 1 sectioned, one half can be slid underneath the other

### NoFrost freezer compartment with IceMaker

- Re-circulated air cooling
- Automatic defrosting
- FrostSafe system with completely enclosed, transparent drawers
- Freezer tray
- 2 cold-storage accumulators

### Refrigerator compartment

- Automatic defrosting
- Re-circulated air cooling
- GlassLine storage shelves – 1 sectioned, one half can be slid underneath the other
- GlassLine storage racks with bottle/can holder
- Butter and cheese compartment with butter dish and egg tray
- Bottle shelf
- Fruit and vegetable bins
- Interior light

### Feature benefits

- New SwingLine design with side-edge relief
- Stainless steel slimline door handle with integrated opening mechanism
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



# Side-by-Side combined fridge-freezers

### Electronic control system

- MagicEye with digital temperature display for refrigerator- and freezer-compartment
- Automatic SuperCool function
- Quantity-controlled automatic SuperFrost function
- Control lamps for mains, alarm, SuperFrost, SuperCool, FrostControl and child proof function
- Visual and audible temperature alarm

### NoFrost freezer compartment

- Re-circulated air cooling
- Automatic defrosting
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace with removable drawers and intervening shelves
- Herb and berry compartment
- Ice cube tray
- 2 cold-storage accumulators

### Refrigerator compartment

- Automatic defrosting
- Re-circulated air cooling
- GlassLine storage shelves – 1 sectioned, one half can slide underneath the other
- GlassLine storage racks with bottle/can holder
- Butter and cheese compartment with butter dish and egg tray
- Bottle shelf
- Tropical fruit section
- Interior light

### BioFresh compartment

- Automatic defrosting
- Re-circulated air cooling
- Pull-out BioFresh Drawers mounted on telescopic rails
- DrySafe with low humidity for fish, meat and milk products
- 2 HydroSafes with adjustable humidity for fruit and vegetables

### Feature benefits

- SwingLine design with side-edge profile
- Stainless steel slimline door handle with integrated opening mechanism
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



### Side-by-Side combined refrigerator-freezers

Total gross/net capacity	
Refrigerator compartment	
BioFresh compartment	
Freezer compartment	
Energy consumption (in 365 days)	
Energy efficiency class	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Equipment, accessories	
Compressors	
Separately adjustable cooling circuits	
Finish	

### SBSes 6102

Premium BioFresh NoFrost

223/191 l

132/100 l

238/220 l

467.2 kWh

<A/A

SN-ST

164.4/121/63.1

2

2

stainless steel



The **BioFresh drawers** provide the perfect climate for keeping your food fresh longer. With the temperature maintained just above 0°C and an ideal humidity level, fruit, vegetables, meat and fish retain their healthy vitamins, their delicate flavour and their attractive appearance for up to three times longer.



Liebherr's **NoFrost** appliances provide expert refrigeration technology for securing long-term freshness. The food is frozen with chilled re-circulated air and any humidity that is generated is expelled. As a result, the freezer is always free from ice and the food no longer frosts over.



### SBS 6302

Premium NoFrost

362/348 l

238/220 l

463.6 kWh

<A/A

SN-T

164.4/121/63.1

2

2

white

### Electronic control system

- MagicEye LED temperature display for refrigerator compartment
- MagicEye digital temperature display for freezer compartment
- SuperCool function
- Quantity-controlled automatic SuperFrost function
- Control lamps for mains, alarm, SuperFrost, FrostControl and child proofing
- Door and temperature alarmfor freezer compartment – visual and audible

### NoFrost freezer compartment

- Re-circulated air cooling
- Automatic defrosting
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace with removable drawers and glass intervening shelves
- Herb and berry compartment
- Ice cube tray
- 2 cold-storage accumulators

### Refrigerator compartment

- Automatic defrosting
- Re-circulated air cooling
- GlassLine storage shelves – 1 sectioned, one half can be slid underneath the other
- GlassLine storage racks with bottle/can holder
- Butter and cheese compartment with butter dish and egg tray
- Fruit and vegetable bins
- Interior light
- Bottle shelf

### Equipment benefits

- SwingDesign
- Slimline door handle with integrated opening mechanism
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



# NoFrost freezers



Illustr. GNP 2976

No Frost



A++



The **SuperFrost Automatic** makes freezing a simple and energy-saving pleasure when it comes to housework. It quickly reduces the temperature and in the process creates the cold air required for vitamin-preserving freezing. As soon as the food is completely frozen the SuperFrost Automatic switches back to normal operation and therefore saves energy. Liebherr offer the innovative DuraFreeze Technology for optimum long-term storage – a function that can be easily added on as an option. With **DuraFreeze** the freezer section temperature is reduced to 28°C. The modern variable speed compressor guarantees continuous maintenance of this temperature without any temperature fluctuations. Foodstuffs can consequently be stored for twice as long as is possible at -18°C. This ensures that the flavours, vitamins and minerals in the food are maintained at an optimum level.

The **NoFrost** refrigerators from Liebherr provide freezing performance in top professional quality for safe, extra long freshness. Foodstuffs are deep-frozen with chilled re-circulated air and any moisture generated is taken out. This has the effect of keeping the freezer section constantly frost free and foodstuffs cannot mature any further. With NoFrost technology you will never have to defrost your freezer again.

Liebherr offer a unique **telescopic system** for freezer drawers to ensure the highest serving convenience. The drawers can be pulled out on smooth-running **telescopic rails** and easily removed with the integrated carrying handles. All shelves are made of safety glass and can be removed. The **transparent drawers** are attractively designed and extremely practical: especially high, closed all around and removable, they consequently guarantee an optimum overview and the best possible storage options for frozen products.

Liebherr have now redefined energy saving with the innovative **A++** refrigerator-freezers. Use of the most modern electronics combined with a highly efficient refrigerating system enables the energy consumption to be significantly reduced once again. This super energy-saving solution actively contributes to environmental care.

If you don't require the entire freezer section for stocking up with frozen goods, unused drawers can be switched off with the optional **Vario Energy-Saving Panel**. Energy consumption can then be reduced again by up to 50%.



Optimum protection is guaranteed for valuable frozen goods with the **Liebherr Safety Package** with temperature warmer and FrostControl display. The **Temperature Warmer**, which can be switched off, indicates immediately when the temperature in the freezer section increases. The **FrostControl Display** helps to evaluate the quality and further shelf life of the frozen goods after a power cut. The **Child Lock** protects against unwanted switching on and off.

Plus, the drawers and shelves beneath them can also be removed. And that's how **VarioSpace**, the practical system for extra storage space works, so that even the biggest cake quickly finds a place.

The **HomeDialog system** allows the consumer to control a NoFrost premium freezer from the new LCD display panel. Interconnection is performed here exclusively with the optional extra „Power Line Module“. Expensive cable installation is not required. The only requirement is that both appliances are connected within the same circuit. If this is not the case, please contact your local Liebherr dealer.

**Net@Home system** from Liebherr allows different machines to be connected to home bus system with the optional extra „Power Line Module“.

Fruit, berries, herbs and even delicate mushrooms can be easily frozen in the **Herb/Berries Compartment**. This prevents goods from freezing together, maintains the proper form and makes it easier to divide into portions. Freeze packs and ice cube trays can also be easily fitted in here.



# NoFrost freezers

### Electronic control system

- MagicEye with digital "actual-temperature" display
- Quantity-controlled automatic SuperFrost function
- Control lamps for mains, SuperFrost, alarm, FrostControl and child proof function
- Visual/audible door and temperature alarm
- Interface for domestic bus connection or TeleSafe module

### NoFrost freezer

- Re-circulated air cooling
- Automatic defrosting
- DuraFreeze technology
- FrostSafe system with completely enclosed, transparent drawers
- smooth-running telescopic rails
- VarioSpace with removable drawers and intervening shelves
- Herb and berry compartment
- Ice cube tray
- 2 cold storage accumulators
- Insulation plate available as an accessory
- Interior light

### Feature benefits

- SwingDesign
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front
- Transport castors and grips at back



Liebherr offers the innovative **DuraFreeze technology** for ideal long-term storage. Food can be stored up to twice as long as is possible at -18°C, while optimally preserving the flavour, vitamins and minerals.



The **HomeDialog system** allows the consumer to control a NoFrost premium freezer from the new LCD display panel. Interconnection is performed here exclusively with the optional extra „Power Line Module“. Expensive cable installation is not required. The only requirement is that both appliances are connected within the same circuit. If this is not the case, please contact your local Liebherr dealer.

**Net@Home system** from Liebherr allows different machines to be connected to home bus system with the optional extra „Power Line Module“.



NoFrost freezers
------------------

GNP 3376 Premium NoFrost
-----------------------------

Total gross/net capacity
Freezer compartment
Energy consumption (in 365 days)
Energy efficiency class
Climate rating
Exterior dimensions in cm (h/w/d)
Equipment, accessories
Number of drawers
Finish

324/305 l
244.6 kWh
<A++
SN-T
184.1/66/68.3
7
white

GNP 2976 Premium NoFrost
-----------------------------

279/261 l
222.7 kWh
<A++
SN-T
164.4/66/68.3
6
white

GNP 2476 Premium NoFrost
-----------------------------

233/216 l
200.8 kWh
<A++
SN-T
144.7/66/68.3
5
white

GNP 2076 Premium NoFrost
-----------------------------

188/172 l
178.9 kWh
<A++
SN-T
125/66/68.3
4
white



# NoFrost freezers

### Electronic control system

- MagicEye with digital "actual-temperature" display
- Quantity-controlled automatic SuperFrost function
- Control lamps for mains, SuperFrost, alarm, FrostControl and child proof function
- Visual/audible door and temperature alarm
- Interface for domestic bus connection or TeleSafe module

### NoFrost freezer

- Re-circulated air cooling
- Automatic defrosting
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace with removable drawers and intervening glass shelves
- Herb and berry compartment
- Ice cube tray
- 2 cold storage accumulators
- Interior light
- Insulation plate available as an accessory

### Feature benefits

- SwingDesign
- Slimline door handle with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front
- Transport castors and grips at back



The elegant and exact **MagicEye control** keeps the temperature at precisely the level you select. Clearly arranged function buttons make the appliance as easy as possible to use.



The drawers and intervening shelves are removable, creating **VarioSpace**: the practical system offering lots of extra storage area, for even the biggest item.





NoFrost freezers
------------------

GN 3356 Premium NoFrost
----------------------------



Total gross/net capacity
Freezer compartment
Energy consumption (in 365 days)
Energy efficiency class
Climate rating
Exterior dimensions in cm (h/w/d)
Equipment, accessories
Number of drawers
Finish

324/305 l	
343.1 kWh	
<A+	
SN-T	
184.1/66/68.3	
7	
white	



GN 2956 Premium NoFrost
----------------------------

279/261 l	
313.9 kWh	
<A+	
SN-T	
164.4/66/68.3	
6	
white	

GN 2456 Premium NoFrost
----------------------------

233/216 l	
281.1 kWh	
<A+	
SN-T	
144.7/66/68.3	
5	
white	

GN 2056 Premium NoFrost
----------------------------

188/172 l	
251.9 kWh	
<A+	
SN-T	
125/66/68.3	
4	
white	



# NoFrost freezers

### Electronic control system

With GN(es) 2866 and GN(es) 2566

- MagicEye with digital "actual-temperature" display
  - Quantity-controlled automatic SuperFrost function
  - Control lamps for mains, SuperFrost, alarm, FrostControl and child proof function
  - Visual/audible door and temperature alarm
- With GN 2853, 2553 and 2153
- MagicEye with LED "set-temperature" display
  - SuperFrost function
  - Control lamps for mains, SuperFrost and alarm
  - Visual/audible door and temperature alarm

### NoFrost freezer

- Re-circulated air cooling
- Automatic defrosting
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace with removable drawers and intervening glass shelves
- Herb and berry compartment
- Ice cube tray
- 2 cold storage accumulators
- Insulation plate available as an accessory

### Feature benefits


- SwingDesign with white appliances
- SwingLine design with stainless steel appliances
- Slimline door handle with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front
- Transport castors and grips at back



The practical **herb and berry compartment** is ideal to freeze fruit, berries and herbs and prevents them from sticking together. Items being frozen will largely retain their shape and it will be easier to remove exactly the right quantity later on.



The new **slimline door handles** with integrated opening mechanism in stainless steel or white are ergonomically adapted to the respective door height and offer ideal opening ease.



NoFrost freezers	GNes 2866; GN 2866 not ill. Premium NoFrost	GN 2566; GNes 2566 not ill. Premium NoFrost	GN 2853 Premium NoFrost	GN 2553 Premium NoFrost	GN 2153 Premium NoFrost
Total gross/net capacity	276/257 l	238/220 l	276/257 l	238/220 l	200/184 l
Freezer compartment	310.3 kWh	284.7 kWh	328.5 kWh	303 kWh	277.4 kWh
Energy consumption (in 365 days)	<A	<A	<A	<A	<A
Energy efficiency class	SN-T	SN-T	SN-T	SN-T	SN-T
Climate rating	184.1/60/63.1	164.4/60/63.1	184.1/60/63.1	164.4/60/63.1	144.7/60/63.1
Exterior dimensions in cm (h/w/d)	7+1	6+1	7+1	6+1	5+1
Equipment, accessories	● (GN 2866)	● (GN 2566)	white	white	white
Number of drawers	GNes 2866 in stainless steel; GN 2866 in white	GN 2566 in white; GNes 2566 in stainless steel			
Interior light					
Housing					



# Upright freezers

## Electronic control system

- MagicEye with LED "set-temperature" display
- Automatic SuperFrost function
- Control lamps for mains, alarm and SuperFrost
- Visual/audible door and temperature alarm

## Freezer

- FrostSafe system with completely enclosed, transparent drawers
- Freezer tray
- Ice cube tray
- 2 cold storage accumulators
- Defrost water drain

## Feature benefits

- SwingDesign
- Slimline door handle with integrated opening mechanism
- Interchangeable door hinges
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Adjustable feet at front, transport castors and handles at back



The elegant and exact **MagicEye control** keeps the temperature at precisely the level you select. Clearly arranged function buttons make the appliance as easy as possible to use.



The practical **freezer tray** is ideal to freeze fruit, berries and herbs and prevents them from sticking together. Items being frozen will largely retain their shape and it will be easier to remove exactly the right quantity later on.



Upright freezers
------------------

G 2413 Comfort
-------------------

Total gross/net capacity
Freezer compartment
Energy consumption (in 365 days)
Energy efficiency class
Climate rating
Exterior dimensions in cm (h/w/d)
Equipment, accessories
Number of drawers
Finish

224/199 l
266.5 kWh
<A>
SN-T
144.7/60/63.1
6
white

G 2013 Comfort
-------------------

186/164 l
248.2 kWh
<A>
SN-T
125/60/63.1
5
white

G 1613 Comfort
-------------------

147/128 l
226.3 kWh
<A>
SN-T
103.3/60/63.1
4
white



# Table-height freezers

## Electronic control system with Premium table-height freezers

- Digital "actual-temperature" display (premium models)
- Automatic SuperFrost function
- Control lamps for mains, SuperFrost, alarm, FrostControl and child-proof function
- Audible and visual temperature alarm

## Electronic control system with Comfort table-height freezers and GX 811

- Automatic SuperFrost function
- SuperFrost control lamps for mains, alarm and SuperFrost

## Freezer

- SmartFreeze system
- VarioSpace with removable drawers and glass intervening shelves
- Easy defrosting with smooth and easy-to-clean interior
- FrostSafe system with completely enclosed, transparent drawers

## Feature benefits

- SwingDesign with white appliances (except GX 811)
- Interchangeable door hinges
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Adjustable feet at front



**SmartFreeze.** The drawers and intervening shelves are removable, creating **VarioSpace**; the practical system offering lots of extra storage area, for even the biggest item.



The **SuperFrost Automatic** with Comfort table-height freezers and GX 811 makes freezing a simple and energy-saving pleasure when it comes to housework. It quickly reduces the temperature and in the process creates the cold reserve required for vitamin-preserving freezing. As soon as the food is completely frozen the SuperFrost Automatic switches back to normal operation and therefore saves energy.



Table-height freezers
-----------------------

Total gross/net capacity
Freezer compartment
Energy consumption (in 365 days)
Energy efficiency class
Climate rating
Exterior dimensions in cm (h/w/d)
Equipment, accessories
Number of drawers
2 cold storage accumulators
Ice cube tray
Finish

GPes 1456 Premium
----------------------

104/101 l
135 kWh
<A++
SN-T
85/60/61
4
●
●
stainless steel

GP 1456 Premium
--------------------

104/101 l
135 kWh
<A++
SN-T
85/60/62.5
4
●
●
white

GP 1356 Premium
--------------------

104/101 l
189.8 kWh
<A+
SN-T
85/55.5/62.5
4
●
●
white

G 1211 Comfort
-------------------

101/98 l
211.7 kWh
<A
SN-ST
85.1/55.4/62.3
3
white

GX 811 Comfort
-------------------

70/67 l
189.8 kWh
<A
SN-T
63/55.5/61
2
white



# Energy saving chest freezers

### Electronic control system

- Digital "actual-temperature" display
- Automatic SuperFrost function
- Control lamps for mains, SuperFrost, alarm, FrostControl and child-proof function
- Visual/audible temperature alarm

### Freezer

- Baskets
- Condenser embedded in side walls
- StopFrost function
- Freezing chart on inner lid
- Freezer tray with cold storage accumulators
- Dividing wall - consisting of 2 removable freezer trays – also suitable for use as a water collection tray
- Defrost water drain
- Interior light

### Feature benefits

- SwingDesign
- Lock



The accurate electronic control system integrated in the **handle of the chest freezer** (premium models) ensures that temperatures are kept at exactly the level you select. The automatic SuperFrost function ensures that when food is frozen the vitamins are optimally preserved. It switches back to normal mode as soon as the food is completely frozen.



**StopFrost.** This innovation has two distinct advantages: frosting up of the freezer and frozen food is reduced by up to 70%. Therefore reducing the number of times you need to defrost the freezer. The StopFrost system prevents a vacuum from building up after the lid has been opened and closed. The freezer can be opened effortlessly.



## Energy saving chest freezers

Total gross/net capacity
Freezer compartment
Energy consumption (in 365 days)
Energy efficiency class
Climate rating
Exterior dimensions in cm (h/w/d)
Equipment, accessories
Number of baskets
(more available for subsequent fitting)
Maximum number of baskets
Finish

### GTP 4726 Premium

461/441 l
244.6 kWh
<A++
SN-T
91.5/165/81
6
16
white

### GTP 3726 not ill. Premium

363/352 l
204.4 kWh
<A++
SN-T
91.5/137.5/81
5
13
white

### GTP 3126 not ill. Premium

302/291 l
182.5 kWh
<A++
SN-T
91.5/129/76
4
10
white

### GTP 2626 Premium

253/245 l
171.6 kWh
<A++
SN-T
91.5/113.5/76
3
10
white

### GTP 2226 not ill. Premium

212/205 l
157 kWh
<A++
SN-T
91.5/100/76
3
7
white

### GTP 1826 Premium

171/166 l
142,4 kWh
<A++
SN-T
91.5/87.5/76
2
4
white



# Energy saving chest freezers

### Electronic control system

- Automatic SuperFrost function
- Control lamps for mains, alarm and SuperFrost
- Control lamps for mains, SuperFrost and alarm

### Freezer

- Storage baskets
- Condenser embedded in side walls
- StopFrost function
- Freezing chart on inner lid
- Dividing wall – also suitable for use as a water collection tray
- Defrost water drain

### Feature benefits

- SwingDesign
- Lock available for subsequent fitting



**StopFrost.** This innovation has two distinct advantages: frosting up of the freezer and frozen food is reduced by up to 70%. Therefore reducing the number of times you need to defrost the freezer. The StopFrost system prevents a vacuum from building up after the lid has been opened and closed. The freezer can be opened effortlessly.




**Jointless foam insulation.** The heat-exchange condenser is embedded in foam along the exterior wall, minimising vibration and promoting silent operation. No condensation forms on the outside and the smooth outside walls are easy to clean.




<b>Energy saving chest freezers</b>
-------------------------------------

<b>Total gross/net capacity</b>
Freezer compartment
<b>Energy consumption</b> (in 365 days)
<b>Energy efficiency class</b>
<b>Climate rating</b>
<b>Exterior dimensions in cm</b> (h/w/d)
<b>Equipment, accessories</b>
Number of baskets
(more available for subsequent fitting)
Maximum number of baskets
Interior light
Finish


<b>GTS 6112</b>
-----------------

601/572 l
408 kWh
< A+ 
SN-T
91,7/165/81
3
16
●
white


<b>GTS 4912</b> not ill.
--------------------------

485/461 l
354,1 kWh
< A+ 
SN-T
91,5/128,5/81
2
9
●
white


<b>GTS 4212</b> not ill.
--------------------------

411/391 l
317.6 kWh
< A+ 
SN-T
91.5/128.5/76
2
9
●
white


<b>GTS 3612</b>
-----------------

351/334 l
281.1 kWh
< A+ 
SN-T
91.5/113.2/76
2
10
●
white


<b>GTS 3012</b> not ill.
--------------------------

299/284 l
259,2 kWh
< A+ 
SN-T
91,5/100/76
2
7
●
white

<b>GTS 2612</b> not ill.
--------------------------

253/242 l
237,3 kWh
< A+ 
SN-T
91,5/87,5/76
2
7
●
white

<b>GTS 2112</b>
-----------------

203/199 l
204,4 kWh
< A+ 
SN-T
85,2/83,8/73,3
1
5
white



# The wine storage cabinet

The full aroma and taste of wine can only be enjoyed once the correct drinking temperature has been ensured. In a Liebherr wine storage cabinet you can gently bring your wine to the ideal drinking temperature. A special feature are the two separate, adjustable temperature zones of this cabinet. This allows red wine, white wine and even champagne to be kept at the optimum drinking temperature. The cabinet is finished in elegant stainless steel and features a glass door with stainless steel frame.



Illustration: WTes 1753



## Wine storage cabinet

### Electronic control system

- Electronic adjustment with 2 independently adjustable temperature zones
- Door alarm
- Each zone adjustable between + 5° C and +18° C
- 4 Pull-Out shelves with attractive wooden front
- Automatic defrosting with evaporation of condensation water

### Feature benefits

- Double glazed tinted glass door with stainless steel frame
- Fresh air supply via active charcoal filters
- Controlled humidity
- Dimmable LED internal lighting
- Elegant stainless steel handle
- Quiet , low vibration compressor and ventilator
- Interchangeable door hinges
- Adjustable feet at front



Wine storage refrigerator	WTes 1753 Vinidor
Total gross capacity	136 l
Energy consumption (in 365 days)	220 kWh
Temperature range	+5°C to +18°C
Number of 0.75-l-DIN Bordeaux-bottles	46
Color	stainless steel
Climate rating	SN
Exterior dimensions in cm (h/w/d)	85.7/60/58
Equipment, accessories	
Wooden Pull-Out Shelf	4



## LIEBHERR Appliance information for household refrigerators

Type/model numbers		KX 1011	KT 1704	KT 1800	KTP 1430	KTP 1434	KTP(es) 1544	KTP(es) 1740	KTS 1430	KTS 1434	KTS 1534	KTS 1730	K 2320	K 2454	K 2650	K 2724	K 2954	K 3150	K 3464	K(es) 3660	K(es) 4260	KB(es) 3650	KB(es) 4250
Illustration page		39	37	37	39	39	37	36	39	39	38	38	35	35	34	35	34	33	33	33	32	11	10
Energy efficiency class		A	A	A	A+	A+	A++	A++	A	A	A	A	A	A+	A+	A	A+	A+	A	A	A	A	A
Energy consumption in 365 days		kWh	146	240.9	153.3	116.8	172.6	124.1	84	149.7	226.3	230	153.3	160.6	211.7	131.4	284.7	244.6	135.1	299.3	178.9	182.5	189.8
Appliance features																							
Total net capacity		l	92	154	174	137	122	131	150	137	122	135	151	219	223	251	255	273	301	319	348	291	337
Net capacity of refrigerator		l	86	136	174	137	106	115	150	137	106	117	151	219	192	251	234	242	301	288	348	291	337
cold storage compartment		l																				100	100
Net capacity of star code compartments		l	6	18		16	16			16	18			31		21	31		31				
Star coding 1)			*****			*****	*****			*****	*****			*****		*****	*****		*****				
Storage time during malfunctions		hours		10		10	10			10	10			22		22	22		22				
Freezing capacity in 24 hours		kg		2		2	2			2	2			2		2	2		2				
Climate rating 2)			SN-ST	SN	SN	SN-ST	SN-ST	SN	SN	SN-ST	SN-ST	SN-ST	SN-ST	SN-T	SN-T	SN-ST	SN-T	SN-T	SN-T	SN-T	SN-T	SN-ST	SN-ST
Refrigerator defrosting																							
Manual		●																					
Automatic			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Star code compartment defrosting																							
Manual			●			●	●			●	●			●		●	●		●				
Type of appliance																							
box/table height/upright appliance		●/-/-	-/●/-	-/●/-	-/●/-	-/●/-	-/●/-	-/●/-	-/●/-	-/●/-	-/●/-	-/●/-	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●
table height worktop			●	●	●	●	●	●	●	●	●	●											
under worktop			●	●	●	●	●	●	●	●	●	●											
Door hinges 3)		r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i
Decor frame fitted/can be fitted subsequently																				-/●	-/●	-/●	-/●
Height x Width x Thickness		mm																			1715x570x2	1715x570x2	
Dimensions																							
Height x Width x Depth incl. distance from wall		cm	63x55.1x62.3	85x60.1x62.6	85x60.1x62.8	85x55.4x62.3	85x55.4x62.3	85x60.1x62.6	85x60.1x62.6	85x50.1x62	85x50.1x62	85x55.4x62.3	85x55.4x62.3	116.8x55.2x62,8	125x60x63.2	125x60x63.1	142x55x60	144.7x60x63.1	144.7x60x63.1	164.4x60x63.1	164.4x60x63.1	184.1x60x63.1	184.1x60x63.1
Height with worktop removed		cm		82	82	82	82	82	82	82	82	82											
Equipment																							
Temperature display		interior/exterior												-/●	-/●		-/●	-/●	-/●	-/●	-/●	-/●	-/●
Door open warning signal		visual/audible																				●/●	●/●
Energy supply Voltage		V	220/230	220/230	220/230	220/240	220/230	220/240	220/240	220/230	220/230	220/230	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240
Connection rating		Watts	50	90	100	70	70	90	90	70	70	75	70	100	100	100	110	110	110	130	130	130	130

## LIEBHERR Appliance information for household refrigerator-freezers

[illegible]

1) **\*** = compartment with  $-6^{\circ}\text{C}$  or colder  
**\*\*** = compartment with  $-12^{\circ}\text{C}$  or colder  
**\*\*\*** = deep-freeze storage compartment with  $-18^{\circ}\text{C}$  or colder  
**\* \*\* \*** = freezer compartment with  $-18^{\circ}\text{C}$  or colder

2) Climate rating SN= suitable for ambient temperatures of +10 °C to +32 °C.  
Climate rating N = suitable for ambient temperatures of +16 °C to +32 °C.  
Climate rating ST= suitable for ambient temperatures of +18 °C to +38 °C.  
Climate rating T = suitable for ambient temperatures of +18 °C to +43 °C.

3) Door hinges: l = left, r = right, i = interchangeable.

● = fitted/yes

\* with cold storage accumulator.  
Operation on inverters only after consultation with factory.

**Note:** Data as of 1/2005.  
Subject to modification in the course of further development.



LIEBHERR Appliance information for household deep-freeze appliances and freezers

Type/model numbers		GX 811	G 1211	GP 1356	GP(es) 1456	G 1613	G 2013	G 2413	GN 2056	GN 2153	GN 2456	GN 2553	GN(es) 2566	GN 2853	GN(es) 2866	GN 2956	GN 3356	GNP 2076	GNP 2476	GNP 2976	GNP 3376
Illustration page		57	57	57	56	55	55	54	51	53	51	53	52	53	52	51	50	49	49	49	48
Energy efficiency class		A	A	A+	A++	A	A	A	A+	A	A+	A	A+	A	A+	A+	A+	A++	A++	A++	A++
Energy consumption in 365 days	kWh	189.8	211.7	189.8	135	226.3	248.2	266.5	251.9	277.4	281.1	303	284.7	328.5	310.3	313.9	343.1	178.9	200.8	222.7	244.6
Appliance features																					
Total net capacity	l	67	98	101	101	128	164	199	172	184	216	220	220	257	257	261	305	172	216	261	305
DuraFreeze function																		●	●	●	●
in NoFrost design: freezer/star code comp.	l/l																				
Storage time during malfunctions	hours	18	26	26*	30*	30*	30*	36*	35*	32*	36*	34*	34*	36*	36*	38*	39*	35*	36*	38*	39*
Freezing capacity in 24 hours	kg	8	11	16	16	16	19	22	57	50	57	50	50	50	50	57	57	57	57	57	57
Climate rating 1)		SN-T	SN-ST	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Freezer compartment defrosting																					
Manual		●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●
Automatic									●	●	●	●	●	●	●	●	●	●	●	●	●
Type of appliance																					
box/table height/upright appliance		●/-/-	-/●/-	-/●/-	-/●/-	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●	-/-/●
table height worktop			●	●	●																
Door hinges 2)		r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	r/i	l/i	r/i	l/i	r/i	r/i	r/i	r/i	r/i	r/i
Decor frame fitted/can be fitted subsequently														-/●	-/●						
Decor panel dimensions: Height x Width x Thickness mm														1715x570x2	1715x570x2						
Dimensions																					
Height x Width x Depth incl. distance from wall	cm	63x55.5x61	85.1x55.4x62.3	85x55.5x62.5	85x60x62.5	103.3x60x63.1	125x60x63.1	144.7x60x63.1	125x66x68.3	144.7x60x63.1	144.7x66x68.3	164.4x60x63.1	164.4x60x63.1	184.1x60x63.1	184.1x60x63.1	164.4x66x68.3	184.1x66x68.3	125x66x68.3	144.7x66x68.3	164.4x66x68.3	184.1x66x68.3
Energy supply																					
Voltage	V	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240
Connection rating	Watts	100	90	100	100	80	90	100	150/240	150/259	150/240	150/259	150/259	150/259	150/259	150/240	150/240	150/240	150/240	150/240	150/240

LIEBHERR Appliance information for household deep-freeze appliances and freezers

Chest freezers													
Type/model numbers		Energy-saving chest freezers											
		GTP 1826	GTP 2226	GTP 2626	GTP 3126	GTP 3726	GTP 4726	GTS 2112	GTS 2612	GTS 3012	GTS 3612	GTS 4212	GTS 4912
Illustration page		59	59	59	58	58	58	62	62	62	61	61	62
Energy efficiency class		A++	A++	A++	A++	A++	A++	A+	A+	A+	A+	A+	A+
Energy consumption in 365 days	kWh	142.4	157	171.6	182.5	204.4	244.6	204.4	237.3	259.2	281.1	317.6	354.1
Appliance features													
Total net capacity	l	166	205	245	291	352	441	199	242	284	334	391	461
StopFrost function		●	●	●	●	●	●	●	●	●	●	●	●
Storage time during malfunctions	h	52*	54*	60*	64*	68*	74*	36	48	54	60	62	64
Freezing capacity in 24 hours	kg	22	23	28	31	38	40	15	20	22	24	26	28
Climate rating 1)		SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Freezer compartment defrosting													
Manual		●	●	●	●	●	●	●	●	●	●	●	●
Automatic													
Type of appliance													
Upright appliance/under worktop		●/-	●/-	●/-	●/-	●/-	●/-	●/-	●/-	●/-	●/-	●/-	●/-
Dimensions													
Height		91.5	91.5	91.5	91.5	91.5	91.5	85.2	91.5	91.5	91.5	91.5	91.5
Width		87.5	100	113.5	129	137.5	165	83.8	87.5	100	113.2	128.5	165
Depth incl. distance from wall	cm	76	76	76	76	81	81	73.3	76	76	76	76	81
Energy supply													
Voltage	V	220/230	220/230	220/230	220/230	220/230	220/230	220/230	220/230	220/230	220/230	220/230	220/240
Connection rating	Watts	90	100	110	115	130	140	100	110	120	140	140	150

1) Climate rating SN = suitable for ambient temperatures of +10 °C to +32 °C.  
Climate rating N = suitable for ambient temperatures of +16 °C to +32 °C.  
Climate rating ST = suitable for ambient temperatures of +18 °C to +38 °C.  
Climate rating T = suitable for ambient temperatures of +18 °C to +43 °C.

2) Door hinges: l = left, r = right, i = interchangeable.

\* with cold storage accumulator.  
Operation on inverters only after consultation with factory.

LIEBHERR Appliance information for household refrigerator-freezers

Type designation		SBS(es) 6102	SBS(es) 6302	SBS(es) 7001	SBS(es) 7202	SBSes 7051	SBSes 7052	SBSes 7053
Illustration page		44	45	43	43	43	43	42
Energy efficiency class		A+/A	A+/A	A/A	A+/A	A/A	A/A	A/A
Energy consumption in 365 days	kWh	467.2	463.6	562.1	492.8	562.1	554.8	525.6
Appliance features								
Total net capacity	l	511	568	651	655	647	661	578
Net capacity of refrigerator, total	l	291	348	528	398	528	542	461
of which: Wine compartment	l						144	124
BioFresh compartment	l	100		130		130		100
Net capacity of freezer, total	l	220	220	123	257	119	119	117
Storage time during malfunctions	h	18*	34*	31*	36*	31*	31*	31*
Freezing capacity in 24 h	kg	34	18	14	18	14	14	14
Climate rating 1)		SN-ST	SN-T	SN-T	SN-T	SN-T	SN-T	SN-ST
Refrigerator compartment defrosting								
Automatic		●	●	●	●	●	●	●
Freezing compartment defrosting								
Manual								
Automatic		●	●	●	●	●	●	●
Automatic ice cube maker can be switched off						●	●	●
Ice cube capacity	kg/24 h					0,8	0,8	0,8
Ice cube stock	max. kg					1,5	1,5	1,5
Type of appliance								
Upright appliance/under worktop		●/-	●/-	●/-	●/-	●/-	●/-	●/-
Door hinges 2)		l/r	l/r	l/r	l/r	l/r	l/r	l/r
Decor frames fitted/can be fitted subsequently				-/●	-/●			
Dekor panel dimensions: Height x	mm			789/907/1715	1715			
Width x Thickness	mm			570x2	570x2			
Dimensions								
Height	cm	164.4	164.4	184.1	184.1	184.1	184.1	184.1
Width	cm	121	121	121	121	121	121	121
Depth incl. distance from wall	cm	63.1	63.1	63.1	63.1	63.1	63.1	63.1
Energy supply								
Voltage	V	220/240	220/240	220/240	220/240	220/240	220/240	220/240
Connection rating	Watts	280/259	280/259	310/170	280/259	310/170	310/170	310/170

● = fitted/yes

**Note:** Data as of 1/2005.  
Subject to modification in the course of further development.